EAST Search History

S9	2	("2006149737").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 19:26
S12	442	382/185	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 19:50
S13	319	(382/185).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 19:51
S17	94	S13 AND strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 19:52
S18	6	S13 AND strokes WITH distinguish$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:02
S20	6642	S13 AND La grange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:02
S24	5	sampling adj points WITH sum WITH plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:07
S25	2	Lagrange WITH distance WITH points WITH plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:09

S30	2	Lagrange SAME distance WITH points WITH plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:10
S31	14	Lagrange SAME distance WITH plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:13
S32	52	(Lagrange or la adj grange) WITH plane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:14
S33	12	(Lagrange or la adj grange) WITH plane WITH points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:33
S35	26	S13 AND direction WITH chang$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:39
S36	7	S13 AND direction WITH chang$4 WITH stroke	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/07 20:39
S37	10	S13 AND direction WITH chang$4 WITH stroke	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 20:50
S40	4	S13 AND two near5 strokes WITH (screen or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:15

EAST Search History

S41	2	S13 AND distinguish$5 WITH strokes WITH distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:01
S43	4	S13 AND rate WITH (motion or movement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:03
S44	288	sampling adj rate WITH (motion or movement) WITH data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:04
S45	154	sampling adj rate WITH (motion or movement) adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:04
S46	7	sampling adj rate WITH based WITH (motion or movement) adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:05
S47	57	sampling adj rate WITH based WITH (motion or movement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:06
S48	3	sampling adj rate WITH based WITH (motion or movement) WITH dynamic$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:07
S49	3	sampling adj rate WITH based WITH (motion or movement) near (3-D or 3D or three-dimension$4 or three adj dimension$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:09

S50	7	sampling adj rate WITH (motion or movement) near (3-D or 3D or three-dimension$4 or three adj dimension$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:12
S51	6	sampling adj rate near3 based near3 (motion or movement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 21:13
S55	10	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion) AND (2-D or 2D or two-dimension$4 or two adj dimensional$4) WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 08:40
S56	10	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion or movement) AND (2-D or 2D or two-dimension$4 or two adj dimensional$4) WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 08:49
S57	2	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion or movement) AND (image or display) WITH based WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 08:50
S58	61	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion or movement) AND (image or display or screen or monitor or LCD) WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 08:51
S59	48	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion or movement) AND (2-D or 2D or two-dimension$4 or two adj dimension$4) AND (image or display or screen or monitor or LCD) WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 08:52

S60	8	(3-D or 3D or three-dimension$4 or three adj dimension$4) WITH (data or coordinations or motion or movement) AND (2-D or 2D or two-dimension$4 or two adj dimension$4) WITH (coordinate) AND (image or display or screen or monitor or LCD) WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:34
S61	2	"20020168107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:37
S62	2	"20030001818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:37
S63	319	(382/185).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 10:04
S64	45	S63 AND two near3 strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:04
S65	42	S63 AND two near2 strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:04
S66	35	S63 AND two near1 strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:04
S67	33	"4573196"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:15

EAST Search History

S68	2	("4573196").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 12:13
S69	2	("4173753").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 12:20
S70	6	average adj distance near3 strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 12:22
S71	30	distance near3 two adj strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:56
S72	1	average with distance near3 two adj strokes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:22
S73	579	distance near3 between near3 strokes AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:56
S74	71127	distance near3 between near3 adjacent strokes SAME (threshold or predetermined) AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:57
S75	2	distance near3 between near3 adjacent adj strokes SAME (threshold or predetermined) AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:59

EAST Search History

S76	4	distance WITH adjacent adj strokes SAME (threshold or predetermined) AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:01
S77	138	distance WITH strokes SAME (threshold or predetermined) AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:01
S78	274305	distance WITH adjacent strokes AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:01
S79	5	distance WITH adjacent adj strokes AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:02
S81	3	distance WITH adjacent adj strokes AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:02
S82	114	distance WITH strokes WITH (predetermined or threshold) AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:03
S83	60	distance WITH strokes WITH (predetermined or threshold) AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:03
S84	44	distance WITH strokes WITH (predetermined or threshold) AND handwriting adj recognition AND "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:04

EAST Search History

S85	44	(distinguish$5 or separat$5 or recogniz$5) AND distance WITH strokes WITH (predetermined or threshold) AND handwriting adj recognition AND "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:10
S86	25	(distinguish$5 or separat$5 or segment$$5) near2 strokes AND distance WITH strokes WITH (predetermined or threshold) AND handwriting adj recognition AND "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:11
S87	4	(distinguish$5 or separat$5 or segment$$5) near2 strokes AND distance WITH strokes WITH greater WITH (predetermined or threshold) AND handwriting adj recognition AND "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:14
S90	3	(distinguish$5 or separat$5 or segment$$5) near2 strokes AND distance WITH strokes SAME greater WITH (predetermined or threshold) AND handwriting adj recognition AND first adj stroke and second adj stroke	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:46
S91	5	"1693844"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:46
S92	15	"971261"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 14:39
S93	5	"6775321"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 14:58
S94	2	"20020023061"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:01

S97	16	Lagrange WITH plane WITH points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:02
S98	7	Lagrange WITH plane WITH points AND (3-D or 3D or three-dimension$3 or two-dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:38
S99	89	"6081261"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:38
S100	2	("6081261").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 12:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	sampling adj rate WITH (motion or moving or movement) adj speed WITH dynamic$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 16:13
L2	13	sampling adj rate WITH (motion or moving or movement) adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 16:14
L3	9	sampling adj rate WITH adjust$4 WITH (motion or moving or movement) adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 16:15
L4	5	sampling adj rate near3 adjust$4 WITH (motion or moving or movement) adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 16:15
L5	5	sampling adj rate near2 adjust$4 WITH (motion or moving or movement) adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 17:15
S2	1	distinguishable adj strokes AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/05 22:50
S3	4	distance WITH strokes WITH handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 22:54
S4	662	distance WITH strokes AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 22:59

EAST Search History

S6	2	distance WITH strokes WITH plane AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:00
S7	2	distance WITH strokes SAME plane AND handwriting adj recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:01
S8	8	distance WITH strokes SAME plane AND handwriting WITHrecognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:01
S9	3	distance WITH strokes SAME plane AND handwriting WITH recognition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:07
S10	8	distance WITH strokes SAME plane AND handwriting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:07
S11	5	distance WITH strokes SAME plane AND handwriting NOT S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 23:07